

Adjunct Professor Stewart Frusher

Centre for Marine Socioecology
Institute for Marine and Antarctic Studies
306 Saltwater River Road
Premaydena, 7185
Tasmania, Australia
Tel: +61 3 6227 7277
Fax: +61 3 6227 8035
Email: Stewart.Frusher@utas.edu.au



<p>Education</p> <ul style="list-style-type: none">• Doctor of Philosophy, University of Tasmania (2002)• Master of Science, Deakin University (1996)• Bachelor of Science, James Cook University (1977)	<p>Summary of professional achievements</p> <ul style="list-style-type: none">-University of Tasmania's Distinguished Services Medal, 2017- Vice Chancellors Award for Outstanding Community Engagement, 2011-Whitely Award for Best Interactive Resource: REDMAP-Faculty of Science and Engineering: Dean's Research Excellence Award 2002- Convenor: 7th International Conference and Workshop on Lobster Biology and Management <p>External grants (1998–2016):</p> <ul style="list-style-type: none">• Chief investigator \$4,257,376• Co-investigator \$77,024,959 <p>Journal and book publications: 100+ Fishery assessments: 14 Conference presentations: 85 Industry articles: 25 Minor publications: 5 Invited chairs: 7 Invited presentations: 8 Post-graduate students: 23</p>
<p>Research interests</p> <ul style="list-style-type: none">• Fisheries Science and Assessment,• Impacts and adaptation to climate change,• Marine food production systems	<p>Memberships of committees and working groups</p> <ul style="list-style-type: none">• Centre for Independent Experts: National Oceanic and Atmospheric Administration, USA.• Quantitative Marine Science Advisory Group – University of Tasmania/Commonwealth Scientific and Industrial Research Organisation, Australia• Marine Expert Group – University of Tasmania• Fisheries and Marine Environment Research Advisory Groups – Tasmanian Government• Fisheries Assessment Working Groups – Tasmanian Aquaculture and Fisheries Institute
<p>Employment history</p> <p>2017 – Adjunct Professor, Centre for Marine Socioecology, University of Tasmania</p> <p>2015 – 2017: Professor, Director of the Centre for Marine Socioecology, University of Tasmania</p> <p>2010 – 2014: Associate Professor and Program Leader – IMAS, University of Tasmania</p> <p>2008–2010: Associate Professor and Theme Leader – Climate Change, TAFI, University of Tasmania</p> <p>2005–2007: Associate Professor and Program Leader – Sustainable Fisheries, TAFI, University of Tasmania</p> <p>2003–2005: Senior Research Fellow and Program Leader – Sustainable Fisheries, TAFI, University of Tasmania</p> <p>1998–2003: Senior Research Fellow and Section Leader – Crustacean Fisheries, TAFI, University of Tasmania</p> <p>1992–1998: Program Leader – Crustacean Fisheries, Department of Primary Industries, Tasmania</p> <p>1986–1991: Experimental Scientist – Australian Institute of Marine Science, North Queensland</p> <p>1980–1986: Senior Research Scientist – Department of Primary Industry, Papua New Guinea</p> <p>1978–1980: Research Scientist – Department of Primary Industry, Papua New Guinea</p>	

Major publications

- Novaglio, C and Bax, N and Boschetti, F and Emad, GR and Frusher, S and Fullbrook, LR and Hemer, M and Jennings, S and van Putten, I and Robinson, LM and Spain, E and Vince, J and Voyer, M and Wood, G and Fulton, EA (2021), Deep aspirations: towards a sustainable offshore Blue Economy. *Reviews in Fish Biology and Fisheries* pp. 1-22. doi:10.1007/s11160-020-09628-6
- Ogier, E and Jennings, S and Fowler, A and Frusher, S and Gardner, C and Hamer, P and Hobday, AJ and Linanne, A and Mayfield, S and Mundy, C and Sullivan, A and Tuck, G and Ward, T and Pecl, G (2020). Responding to climate change: participatory evaluation of adaptation options for key marine fisheries in Australia's south east, *Frontiers in Marine Science*, 7 (MAR) Article 97. doi:10.3389/fmars.2020.00097
- Robinson, LM and Marzloff, MP and van Putten, I and Pecl, G and Jennings, S and Nicol, S and Hobday, AJ and Tracey, S and Hartmann, K and Haward, M and Frusher, S (2020). "Decision support for the ecosystem based management of a range-extending species in a global marine hotspot presents effective strategies and challenges", *Ecosystems* pp. 1-20. doi:10.1007/s10021-020-00560-1
- Dutra, LXC and Sporne, I and Haward, M and Aswani, S and Cochrane, KL and Frusher, S and Gasalla, M and Gianesella, SMF and Grant, T and Hobday, AJ and Jennings, S and Plaganyi, E and Pecl, G and Salim, SS and Sauer, W and Taboada, MB and van Putten, IE (2019). Governance mapping: a framework for assessing the adaptive capacity of marine resource governance to environmental change", *Marine Policy*, 106 Article 103392. doi:10.1016/j.marpol.2018.12.011
- Kelly, R and Mackay, M and Nash, KL and Cvitanovic, C and Allison, EH and Armitage, D and Bonn, A and Cooke, SJ and Frusher, S and Fulton, EA and Halpern, BS and Lopes, PFM and Milner-Gulland, EJ and Peck, MA and Pecl, GT and Stephenson, RL and Werner, F (2019). Ten tips for developing interdisciplinary socio-ecological researchers, *Socio-Ecological Practice Research*, 1 (2) pp. 149-161. doi:10.1007/s42532-019-00018-2
- Pecl, GT and Ogier, E and Jennings, S and van Putten, I and Crawford, C and Fogarty, H and Frusher, S and Hobday, AJ and Keane, J and Lee, E and MacLeod, C and Mundy, C and Stuart-Smith, J and Tracey, S (2019). Autonomous adaptation to climate-driven change in marine biodiversity in a global marine hotspot, *Ambio*, 48 (12) pp. 1498-1515. doi:10.1007/s13280-019-01186-x
- Pecl, GT and Stuart-Smith, J and Walsh, P and Bray, DJ and Kusetic, M and Burgess, M and Frusher, SD and Gledhill, DC and George, O and Jackson, G and Keane, J and Martin, VY and Nursey-Bray, M and Pender, A and Robinson, LM and Rowling, K and Sheaves, M and Moltschanivskyj, N (2019). Redmap Australia: challenges and successes with a large-scale citizen science-based approach to ecological monitoring and community engagement on climate change, *Frontiers in Marine Science*, 6 (JUNE) Article 349. doi:10.3389/fmars.2019.00349
- Porobic, J and Fulton, EA and Parada, C and Frusher, S and Ernst, B and Manriquez, P (2019). The impact of fishing on a highly vulnerable ecosystem, the case of Juan Fernandez Ridge ecosystem, *PLoS ONE*, 14 (2) Article e0212485. doi:10.1371/journal.pone.0212485
- Stephenson, RL and Hobday, AJ and Cvitanovic, C and Alexander, KA and Begg, GA and Bustamante, RH and Dunstan, PK and Frusher, S and Fudge, ME and Fulton, EA and Haward, M and Macleod, C and McDonald, J and Nash, KL and Ogier, E and Pecl, G and Plaganyi, EE and van Putten, I and Smith, T and Ward, TM (2019). A practical framework for implementing and evaluating integrated management of marine activities, *Ocean and Coastal Management*, 177 pp. 127-138. doi:10.1016/j.ocecoaman.2019.04.008
- Alexander, KA and Hobday, AJ and Cvitanovic, C and Ogier, E and Nash, KL and Cottrell, RS and Fleming, A and Fudge, M and Fulton, EA and Frusher, S and Kelly, R and MacLeod, CK and Pecl, GT and van Putten, I and Vince, J and Watson, RA (2018). Progress in integrating natural and social science in marine ecosystem-based management research, *Marine and Freshwater Research*, 70 (1) pp. 71-83. doi:10.1071/MF17248
- Castillo-Jordan, C and Wayte, SE and Tuck, GN and Tracey, S and Frusher, SD and Punt, AE (2018). Implications of a climate-induced recruitment shift in the stock assessment of Patagonian grenadier (*Macrurus magellanicus*) in Chile, *Fisheries Research*, 212 pp. 114-122. doi:10.1016/j.fishres.2018.12.019
- Kordjazi, Z and Frusher, S and Buxton, CD and Gardner, C and Bird, T (2018). Accurate estimates of tag-induced mortality rates are contingent on the number of tagged and

- recaptured lobsters, *Bulletin of Marine Science*, **94** (3) pp. 1017-1034. doi:10.5343/bms.2017.1098
- Novaglio, C and Smith, ADM and Frusher, S and Ferretti, F and Klaer, N and Fulton, EA (2018). Fishery development and exploitation in South East Australia, *Frontiers in Marine Science*, **5** Article 145. doi:10.3389/fmars.2018.00145
 - Penaherrera-Palma, C and van Putten, I and Karpievitch, YV and Frusher, S and Llerena-Martillo, Y and Hearn, AR and Semmens, JM (2018) Evaluating abundance trends of iconic species using local ecological knowledge, *Biological Conservation*, **225** pp. 197-207. doi:10.1016/j.biocon.2018.07.004
 - Porobic, J and Fulton, EA and Frusher, S and Parada, C and Haward, M and Ernst, B and Stram, D (2018). Implementing Ecosystem-based Fisheries Management: lessons from Chile's experience, *Marine Policy*, **97** pp. 82-90. doi:10.1016/j.marpol.2018.08.037
 - Timothy C. Bonebrake TC, Brown CJ, Bell JD, Blanchard JL, Chauvenet A, Champion C, Chen I-C, Clark TD, Colwell RK, Danielsen F, Dell AI, Donelson JM, Evengard B, Ferrier S, Frusher S, Garcia RA, Griffis R, Hobday AJ, Jarzyna MA, Lee E, Lenoir J, Linnetved H, Martin V, McCormack PC, McDonald J, McDonald-Madden E, Mitchell N, Mustonen T, Pandolfi JM, Pettorelli N, Possingham H, Pulsifer P, Reynolds M, Scheffers BR, Sorte CJB, Strugnell JM, Tuanmu M_N, Twiname S, Verges A, Villanueva C, Wapstra E, Wernberg T, Pecl GT (2017). Managing consequences of climate-driven species redistribution requires integration of ecology, conservation and social science. *Biological Reviews* **93**: doi.org/10.1111/brv.12344
 - Link JS, The'baud O, Smith DC, Smith ADM, Schmidt J, Rice J, Poos JJ., Pita C, Lipton D, Kraan M, Frusher S, Doyen L, Cudennec A, Criddle K, and Bailly D (2017). Keeping Humans in the Ecosystem. *ICES Journal of Marine Science* **74**: 1947–1956.
 - Pecl GT, Araújo MB, Bell JD, Blanchard J, Bonebrake TC, Chen I-C, Clark TD, Colwell RK, Danielsen F, Evengård B, Falconi L, Ferrier S, **Frusher S**, Garcia RA, Griffis RB, Hobday AJ, Janion-Scheepers C, Jarzyna MA, Jennings S, Lenoir J, Linnetved HI, Martin VY, McCormack PC, McDonald J, Mitchell NJ, Mustonen T, Pandolfi JM, Pettorelli N, Popova E, Robinson SA, Scheffers BR, Shaw JD, Sorte CJB, Strugnell JM, Sunday JM, Tuanmu M-N, Vergés A, Villanueva C, Wernberg T, Wapstra E, Williams SE. 2017. Biodiversity redistribution under climate change: impacts on ecosystems and human well-being. *Science* **355**: eaai9214
 - Bell, J and Cheung, W and De Silva, S and Gasalla, M and Frusher, S and Hobday, A and Lam, V and Lehodey, P and Pecl, G and Samoily, M and Senina, I (2017), "Chapter 4.5: Impacts and effects of ocean warming on the contributions of fisheries and aquaculture to food security", *Explaining Ocean Warming: Causes, Scale, Effects and Consequences*, International Union for Conservation of Nature and Natural Resources (IUCN), D Laffoley, JM Baxter (ed), Gland, Switzerland, pp. 409-437.
 - Van Putten IE, Jennings SM, Hobday AJ, Bustamante RH, Dutra LXC, **Frusher S**, Fulton EA, Haward M, Plaganyi EE, Thomas L, Pecl G (2017). Recreational fishing in a time of rapid ocean change. *Marine Policy* **76**: 169-177.
 - Briceno F, Leon R, Gardner C, Hobday AJ, Andre J, **Frusher SD**, Pecl, GT (2016). Spatial variation in mortality by in-pot predation in the Tasmanian rock lobster fishery. *Fisheries Oceanography* **25** (suppl 1): 6-18.
 - Castillo-Jordan C, Klaer NL, Tuck GN, **Frusher SD**, Cubillos LA, Tracey SR, Salinger MJ.(2016) Coincident recruitment patterns of Southern Hemisphere fishes. *Canadian Journal of Fisheries and Aquatic Sciences* **73**(2): 270-278.
 - **Frusher S**, van Putten I, Haward M, Hobday AJ, Holbrook NJ, Jennings S, Marshall N, Metcalf S, Pecl GT, Tull M (2016). From physics to fish to folk: supporting coastal regional communities to understand their vulnerability to climate change in Australia. *Fisheries Oceanography* **25** (suppl 1): 19-28.
 - Hobday, A. J., K. Cochrane, N. Downey-Breedt, J. Howard, S. Aswani, V. Byfield, G. Duggan, E. Duna, L. X. C. Dutra, S. D. **Frusher**, E. A. Fulton, L. Gammage, M. A. Gasalla, C. Griffiths, A. Guissamulo, M. Haward, A. Jarre, S. M. Jennings, T. Jordan, J. Joyner, N. K. Ramani, S. L. P. Shanmugasundaram, W. Malherbe, K. O. Cisneros, A. Paytan, G. T. Pecl, É. E. Plagányi, E. E. Popova, H. Razafindrainibe, M. Roberts, P. Rohit, S. S. Sainulabdeen, W. Sauer, S. T. Valappil, P. U. Zacharia and E. I. v. Putten (2016). Planning adaptation to climate change in fast-warming marine regions with seafood-dependent coastal communities. *Reviews in Fish Biology and Fisheries*: DOI: 10.1007/s11160-016-9419-0.
 - Kordjazi Z, **Frusher S**, Buxton C, Gardner C, Bird T (2016). The influence of mark-recapture

- sampling effort on estimates of rock lobster survival. *PLoS ONE* 11(3): e0151683.
- Litzow MA, Hobday AJ, **Frusher SD**, Dann P, Tuck GN (2016). Detecting regime shifts in marine systems with limited biological data: an example from southeast Australia. *Progress in Oceanography* 141: 96-108.
 - Novaglio C, Ferretti F, Smith ADM, **Frusher S** (2016). Species–area relationships as indicators of human impacts on demersal fish communities. *Diversity and Distributions* 22(11): 1186–1198.
 - Parada C, **Frusher S**, Bustamante RH, Di Lorenzo E, Bernal P, Cryer M, Dunn A, Garreaud R, Gutierrez M, Jennings S, Montecinos A, Neira S, Quinones RA, Takahashi K, Tascheri R, Yannicelli B(2016). South Pacific Integrated Ecosystem Studies meeting: toward conservation and sustainable use of marine resources in the South Pacific. *Fisheries Oceanography* 25 (suppl 1): 1-4.
 - van Putten IE, **Frusher S**, Fulton EA, Hobday AJ, Jennings SM, Metcalf S, Pecl, GT(2016). Empirical evidence for different cognitive effects in explaining the attribution of marine range shifts to climate change. *ICES Journal of Marine Science* 73(5): 1306-1318.
 - Ewing G and **Frusher S** (2015). New puerulus collector design suitable for fishery-dependent settlement monitoring. *ICES Journal of Marine Science* 72 (Supplement 1): i225-i231.
 - Metcalf S, van Putten E, **Frusher S**, Marshall N, Tull M, Caputi N, Haward M, Hobday A, Holbrook N, Jennings S, Pecl G, Shaw J (2015) Measuring the vulnerability of marine socio-ecological systems: A prerequisite for the identification of climate change adaptations. *Ecology and Society*. 20(2): 35. <http://dx.doi.org/10.5751/ES-07509-200235>.
 - Robinson LM, Gledhill DC, Moltschanivskiy NA, Hobday AJ, **Frusher S**, Barrett N, Stuart-Smith J, Pecl GT (2015). Rapid assessment of an ocean warming hotspot reveals “high” confidence in potential species’ range extensions., *Global Environmental Change*. Part A, 31 pp. 28-37. doi:10.1016/j.gloenvcha.2014.12.003
 - Sunday JM, Pecl GT, **Frusher S**, Hobday AJ, Hill N, Holbrook NJ, Edgar GJ, Stuart-Smith R, Barrett N, Wernberg T, Watson RA, Smale DA, Fulton EA, Slawinski D, Feng M, Radford BT, Thompson PA, Bates AE (2015). Species traits and climate velocity explain geographic range shifts in an ocean-warming hotspot. *Ecology Letters* 18(9): 944-953.
 - Bates AE, Pecl GT, **Frusher S**, Hobday AJ, Wernberg T, Smale DA, Sunday JM, Hill NA, Dulvy NK, Colwell RK, Holbrook NJ, Fulton EA, Slawinski D, Feng M, Edgar GJ, Radford BT, Thompson PA, Watson RA (2015). Defining and observing stages of climate-mediated range shifts in marine systems. *Global Environmental Change* 26(1): 27-38
 - Lim-Camacho L, Hobday AJ, Bustamante RH, Farmery A, Fleming A, Frusher S, Green BS, Norman-Lopez A, Pecl GT, Plaganyi EE, Schrobback P, Thebaud O, Thomas L, van Putten I (2015). Facing the wave of change: stakeholder perspectives on climate adaptation for Australian seafood supply chains. *Regional Environmental Change*, 15 (4) pp. 595-606. doi:10.1007/s10113-014-0670-4
 - Kordjazi Z, Frusher S, Buxton CD, Gardner C (2015) Estimating survival of rock lobsters from long-term tagging programmes: how survey number and interval influence estimates. *ICES Journal of Marine Science* pp. 1-8.doi:10.1093/icesjms/fsv005 ISSN 1054-3139
 - Redd KS, Ling SD, Frusher SD, Jarman S, Johnson CR (2014) Using molecular prey detection to quantify rock lobster predation on barrens-forming sea urchins. *Molecular Ecology*, 23 (15) pp. 3849-3869.doi:10.1111/mec.12795
 - Pecl GT, Ward TM, Doubleday ZA, Clarke S, Day J, Dixon C, Frusher S, Gibbs P, Hobday AJ, Hutchinson N, Jennings S, Jones K, Li X, Spooner D, Stocklosa R (2014) Rapid assessment of fisheries species sensitivity to climate change. *Climate change*
 - van Putten EI, Metcalf S, **Frusher S**, Marshall N, Tull M (2014) Transformation of coastal communities: Where is the marine sector heading? *Australasian Journal of Regional Studies*, 20: 286 – 324.
 - Hobday, A. J., R. H. Bustamante, A. Farmery, A. Fleming, S. **Frusher**, B. S. Green, L. Lim-Camacho, J. Innes, S. Jennings, A. Norman-Lopez, S. Pascoe, G. T. Pecl, E. E. Plaganyi, P. Schrobback, O. Thebaud, L. Thomas and E. I. van Putten (2014). Growth opportunities for marine fisheries and aquaculture industries in a changing climate. Applied climate change adaptation research. J. Palutikof, J. Barnett, S. L. Boulter and D. Rissik, Wiley.
 - Bates AE, Bird TJ, Stuart-Smith RD, Wernberg T, Sunday JM, Barrett N, Edgar G, **Frusher S**, Hobday AJ, Pecl GT, Smale DA, McCarthy M (2014) Distinguishing geographic range shifts from artefacts of detectability and sampling effort. *Diversity and Distribution*

- Pecl GT, Hobday AJ, **Frusher** SD, Sauer WH, Bates A (2014) Ocean warming hotspots provide early warning laboratories for climate change impacts. *Reviews in Fish Biology and Fisheries*. DOI 10.1007/s11160-014-9355-9
- Bates AE, Pecl GT, **Frusher** SD, Hobday AJ, Wernberg T, Smale DA, Sunday JM, Hill NA, Dulvy NK, Colwell RK, Holbrook NJ, Fulton EA, Slawinski D, Feng M, Edgar GJ, Radford BT, Thompson PA, Watson RA (2014) Defining and observing stages of climate-mediated range shifts in marine systems. *Global Environmental Change* 26: 27–38
- Plagányi EE, van Putten E, Thébaud O, Hobday AJ, Innes J, Lim-Camacho L, Norman-López A, Bustamante RH, Farmery A, Fleming A, **Frusher** S, Green B, Hoshino E, Jennings S, Pecl G, Pascoe S, Schrobback P, Thomas L (2014) A quantitative metric to identify critical elements within seafood supply networks. *Plos One*.
- Metcalf SJ, van Putten EI, **Frusher** SD, Tull M, Marshall N (2014) Adaptation options for marine-industries and coastal communities using community structure and dynamics. *Sustainability Science*, 9 (1). pp. 1-15. DOI 10.1007/s11625-013-0239-z
- van Putten IE, Metcalf S, **Frusher** SD, Marshall N, Tull M (2014). Fishing for the impacts of climate change in the marine sector: A case study. *International Journal of Climate Change Strategies and Management*.
- Bird TJ, Bates AE, Lefcheck JS, Hill N, Thomson RJ, Edgar GJ, Stuart-Smith RD, Wotherspoon S, Krkosek M, Stuart-Smith JF, Pecl G, Barrett N, **Frusher** S (2014) Statistical solutions for error and bias in global citizen science datasets. *Biol. Conserv.* 173: 144 – 154. DOI10.1016/j.biocon.2013.07.037.
- **Frusher** SD, Hobday AJ, Jennings SM, Creighton C, D'Silva D, Haward M, Holbrook NJ, Nursey-Bray M, Pecl GT and van Putten IE (2014). The short history of research in a marine climate change hotspot – from anecdote to adaptation in south-east Australia. *Reviews in Fish Biology and Fisheries*. 10.1007/s11160-013-9325-7
- Van Putten IE, Jennings S, **Frusher** SD, Gardner C, Haward M, Hobday AJ, Nursey-Bray M, Pecl GT, Punt A and Revill H (2013). Building blocks of economic resilience to climate change: A south east Australian fisheries example. *Regional Environmental Change*. DOI 10.1007/s10113-013-0456-0
- Marzloff MP, Johnson CR, Little LR, Soulié J-C, Ling SD and **Frusher**, SD (2013). Sensitivity analysis and pattern-oriented validation of TRITON, a model with alternative community states: Insights on temperate rocky reefs dynamics. *Ecological Modelling* 258: 16– 32.
- Caputi, N., de Lestang, S., **Frusher**, S., & Wahle, R.A. (2013). The impacts of climate change on exploited lobster stocks. In: *Lobsters: Biology, Management Aquaculture and Fisheries*, Second Edition (ed: Bruce Phillips). Wiley-Blackwell Ch4: 129-165.
- Doubleday, Z., Clarke, S., Li, X., Pecl, G., Ward, T., Battaglione, S., **Frusher**, S., Gibbs, P., Hobday, A., Hutchinson, N., Jennings, S., Spooner, D., & Stocklosa, R. (2013). Assessing the risk of climate change to aquaculture: a case study from south-eastern Australia. *Aquaculture Environment Interactions* 3: 163-175.
- Watson R, Nowara G, Tracey S, Fulton E, Bulman C, Edgar G, Barrett N, Lyle J, **Frusher** SD, Buxton, C (2013) . Ecosystem model of Tasmanian waters explores impacts of climate-change induced changes in primary productivity. *Ecological Modelling* 264:115-129.
- Hamon, K.G., **Frusher**, SD, Thébaud, O, Little, L.R, Punt, AE (2013). Adaptive behaviour of fishers to external perturbations: simulation of the Tasmanian rock lobster fishery *Reviews in fish biology and fisheries*. (DOI) 10.1007/s11160-013-9302-1
- Nursey-Bray M, Pecl G, **Frusher** SD, Gardner C, Haward M, Hobday AJ, Jennings S, Punt A, Revill H, van Putten, I (2012) Communicating climate change: climate change risk perceptions and rock lobster fishers, Tasmania. *Marine Policy*, 36: 753-759.
- Awruch C A, **Frusher** SD, Stevens JD, Barnett A. (2012). Movement patterns of the draughtboard shark, *Cephaloscyllium laticeps* (Scyliorhinidae), determined by passive tracking and conventional tagging. *Journal of Fish Biology*, 80: 1417-1435.
- Godwin RM, Brown I, Montgomery S, **Frusher** SD, Green T, Ovenden J, PhD (2012) Telomere dynamics in the Sydney rock oyster (*Saccostrea glomerata*): an investigation of the effects of age, tissue type, location and time of sampling. *Marine Biology*, 159: 77-86.
- Godwin RM, **Frusher** SD, Montgomery S, Ovenden J (2011). Telomere length analysis in crustacean species: *Metapenaeus macleayi*, *Sagmariasus verreauxi* and *Jasus edwardsii*. *ICES Journal of Marine Science*. doi: 10.1093/icesjms/fsr144.
- Linnane A, Hobday D, **Frusher** S, Gardner C (2011). Growth rates of juvenile southern rock lobster (*Jasus edwardsii*) estimated through a

- diver-based tag–recapture program. *Marine and Freshwater Research*, <http://dx.doi.org/10.1071/MF11121>
- Marzloff MP, Dambacher JM, Johnson CR, Little LR, **Frusher SD** (2011). Exploring alternative states in ecological systems with a qualitative analysis of community feedback. *Ecological Modelling*, 222: 2651–2662
 - Johnson CR, Banks SC, Barrett NS, Cazassus F, Dunstan PK, Edgar GJ, **Frusher SD**, Gardner C, Haddon M, Helidoniotis F, Hill KL, Holbrook NJ, Hosie GW, Last PR, Ling SD, Melbourne-Thomas J, Miller K, Pecl GT, Richardson AJ, Ridgway KR, Rintoul SR, Ritz DA, Ross DJ, Sanderson JC, Shepherd SA, Slotwinski A, Swadling KM, Taw N (2011). Climate change cascades: Shifts in oceanography, species' ranges and subtidal marine community dynamics in eastern Tasmania. *J. Exp. Mar. Biol. Ecol.* 400: 17–32.
 - Barnett A, Abrantes K, Stevens JD, Yick JL, **Frusher SD**, Semmens JM (2010) Inferring predator-prey relationships and foraging ecology of a marine apex predator with a wide temperate distribution. *Marine Ecology Progress Series* 416: 189–200.
 - Barnett A, Stevens JD, **Frusher SD**, Semmens JM (2010) Seasonal occurrence and population structure of the broadnose sevengill shark *Notorynchus cepedianus*. *Journal of Fish Biology* 77: 1688–1701.
 - Barnett A, Redd KS, **Frusher SD**, Stevens JD, Semmens JM (2010) Non-lethal method to obtain stomach samples from a large marine predator and the use of DNA analysis to improve dietary information. *Journal of Experimental Marine Biology and Ecology* 393: 188–192.
 - Valentine J, Mundy C, Tarbath D, **Frusher SD**, Buxton C (2010) Limited evidence for ecosystem level change on reefs exposed to *Haliotis rubra* ('blacklip abalone') exploitation. *Austral Ecology* 35: 806–817.
 - Guest MA, Hirst AJ, Nichols PD, **Frusher SD** (2010) Multi-scale spatial variation of stable isotope and fatty acid profiles amongst temperate reef species: implications for design and interpretation of trophic studies. *Marine Ecology Progress Series* 410: 25 – 41.
 - Ling SD, Johnson CR, **Frusher S**, Ridgway K (2009) Overfishing reduces resilience of kelp beds to climate-driven catastrophic phase shift *Proceedings of the National Academy of Sciences*. DOI_10.1073_pnas.0907529106
 - Awruch CA, Pankhurst NW, **Frusher SD** & Stevens JD (2009). Reproductive seasonality in the draughtboard shark *Cephaloscyllium laticeps*. *Marine and Freshwater Research* 60:1265–1272.
 - Hamon, K.G., Thébaud, O., **Frusher**, S. and Little, L.R.(2009). A retrospective analysis of the effects of adopting individual transferable quotas in the Tasmanian red rock lobster, *Jasus edwardsii*, fishery. *Aquatic Living Resource* 22: DOI: 10.1051/alr/2009039
 - Guest MA, **Frusher SD**, Nichols PA, Johnson CR & Wheatley KE (2009). The trophic effects of fishing southern rock lobster (*Jasus edwardsii*): what can combined fatty acid and stable isotope analyses tell us? *Marine Ecology Progress Series* 388:169–184.
 - **Frusher SD**, Hall D, Burch P & Gardner C (2009). Combining passive integrated transponder tags with conventional T-bar tags to improve tag reporting rate independent of fishers. *New Zealand Journal of Marine and Freshwater Research*. 43: 347–353.
 - Burch P, **Frusher SD** & Wotherspoon S (2009). A modeled cost-benefit analysis of hybrid PIT and conventional tagging scenarios. *New Zealand Journal of Marine and Freshwater Research*. 43: 339–346.
 - Pederson HG, Barrett N, **Frusher SD** & Buxton C (2008). The effect of predator-prey and competitive interactions on size at emergence in black-lip abalone (*Haliotis rubra*) in a Tasmanian MPA. *Marine Ecology Progress Series*.
 - Redd K, Jarman S, **Frusher S** & Johnson C (2008). A molecular approach to identify prey of the southern rock lobster. *Bulletin of Entomological Research*. 98:233–238.
 - Awruch CA, Pankhurst NW, **Frusher SD** & Stevens JD (2008). Endocrine and morphological correlates of reproduction in the draughtboard shark *Cephaloscyllium laticeps* (Elasmobranchii: Scyliorhinidae). *Journal of Experimental Zoology*. 309A: 184–197.
 - Ling SD, Johnson CR, **Frusher SD** & King CK (2008). Reproductive potential of a marine ecosystem engineer at the edge of a newly expanded range. *Global Change Biology*. 14: 1–9.
 - Ihde TF, Hoenig JM & **Frusher SD** (2008). An index-removal abundance estimator that allows for seasonal change in catchability, with application to rock lobster. *Transactions of the American Fisheries Society* 137(3): 720–735.
 - Guest MA, Nichols PA, **Frusher SD** & Hirst AJ (2008). Evidence of abalone (*Haliotis rubra*) diet from combined fatty acid and stable isotope analysis. *Marine Ecology*. 153: 579–588.

- Awruch CA, **Frusher** SD, Pankhurst NW & Stevens JD (2008). Non-lethal assessment of reproductive parameters for the management and conservation of sharks. *Marine Ecology Progress Series*. 355: 277–285.
- Stuart-Smith RD, Barrett NS, Crawford CM, **Frusher** SD, Stevenson DG & Edgar GJ (2008). Spatial patterns in impacts of fishing on temperate rocky reefs: are fish abundance and mean size related to proximity to fisher access points? *Journal of Experimental Marine Biology and Ecology*. 365: 116–125.
- Ihde TF, Hoenig JM & **Frusher** SD (2008). Evaluation of a multi-year index-removal abundance estimator, with application to a Tasmanian rock lobster fishery. *Fisheries Research*. 89: 26–36.
- **Frusher** SD, Hoenig JM & Ihde TF (2007). Evaluating catchability assumptions for change-in-ratio and index-removal estimators, with application to southern rock lobster. *Fisheries Research*. 84: 254–262.
- Aquarone MC, Adams S, Frusher S, Suthers IM (2007). IX-21 Southeast Australian Shelf: LME# 42. In The UNEP Large Marine Ecosystem Report. A perspective on changing conditions in LMEs of the world's regional seas. UNEP regional seas and report No. 182. <http://www.lme.noaa.gov/>; http://www.lme.noaa.gov/LMEWeb/LME_Report/me_42.pdf
- Ihde TF, **Frusher** SD, & Hoenig JM (2006). Do large rock lobsters inhibit smaller ones from entering traps? A field experiment. *Marine and Freshwater Research*. 57: 665–674.
- Gardner C, **Frusher** SD, Barrett N, Haddon M & Buxton C (2006). Spatial variation in size at onset of maturity of female southern rock lobster (*Jasus edwardsii*) around Tasmania, Australia. *Scientia Marina*. 70: 423–430.
- Harrington JJ, Semmens JM, Gardner C & **Frusher** SD (2006). Predation of trap caught southern rock lobsters (*Jasus edwardsii*) in Tasmanian waters by the maori octopus (*Octopus maorum*): spatial and temporal trends. *Fisheries Research*. 77: 10–16.
- Gardner C, **Frusher** S, Mills D & Oliver M (2006). Simultaneous enhancement of rock lobster fisheries and provision of puerulus for aquaculture. *Fisheries Research*. 80: 122–128.
- Mills DJ, Verdouw G & **Frusher** SD (2005). A remote multi-camera system for in situ observations of behaviour and predator/prey interactions of marine benthic macrofauna. *New Zealand Journal of Marine and Freshwater Research*. 39: 347–352.
- Gardner C, Mills D & **Frusher** SD (2005). Does pleopod setation provide a measure of maturity in female southern rock lobsters *Jasus edwardsii*? *Scientia Marina*. 69: 123–131.
- Ziegler PE, Haddon M, **Frusher** SD & Johnson CR (2004). Modelling seasonal catchability of the southern rock lobster *Jasus edwardsii* by water temperature, moulting, and mating. *Marine Biology*. 145: 179–190.
- Gardner C, **Frusher** S, Haddon M & Buxton C (2003). Movements of the southern rock lobster *Jasus edwardsii* in Tasmania, Australia. *Bulletin of Marine Science*. 73: 653–671.
- **Frusher** SD & Hoenig JM (2003). Recent developments in estimating fishing and natural mortality and tag reporting rate of lobsters using multi-year tagging models. *Fisheries Research*, 65: 379–390.
- **Frusher** SD, Hoenig JM & Gardner C (2003). Have inappropriate selectivity curves masked recruitment declines in a lobster fishery in Tasmania. *Fisheries Research*. 65: 467–474.
- Latour RJ, Hoenig JM, Hepworth DA & **Frusher** SD (2003). A novel tag-recovery model with two size classes for estimating fishing and natural mortality, with implications for the southern rock lobster (*Jasus edwardsii*) in Tasmania, Australia. *ICES Journal of Marine Science*. 60: 1075–1085.
- Zielger PE, **Frusher** SD & Johnson CR (2003). Space-time variation in catchability of southern rock lobster *Jasus edwardsii* in Tasmania explained by environmental, physiological and density-dependent processes. *Fisheries Research*. 61: 107–123.
- Zielger PE, **Frusher** SD, Johnson CR & Gardner C (2002). Catchability of the southern rock lobster *Jasus edwardsii*. I. Effects of sex, season and catch history. *Marine and Freshwater Research*. 53: 1143–1148.
- Zielger PE, Johnson CR & **Frusher** SD (2002). Catchability of the southern rock lobster *Jasus edwardsii* II. Effects of size. *Marine and Freshwater Research*. 53: 1149–1159.
- **Frusher** SD & Hoenig JM (2001). Estimating natural and fishing mortality and tag reporting rate from up to three tagging events within a year in a multi-year tagging model. *Canadian Journal of Fisheries and Aquatic Sciences*. 58: 2490–2501.
- **Frusher** SD & Hoenig JM (2001). Impact of size related dominance hierarchies on selectivity of traps for southern rock lobster (*Jasus edwardsii*).

- Canadian Journal of Fisheries and Aquatic Sciences*. 58: 2482–2489.
- **Frusher** SD & Hoenig JM (2001). Strategies for improving the precision of fishing and natural mortality estimates from multi-year tagging models: a case study. *Marine and Freshwater Research*. 52:1649–1655.
 - Gardner C, **Frusher** SD, Kennedy RB & Cawthorn A (2001). Relationship between settlement of southern rock lobster puerulus *Jasus edwardsii* and recruitment to the fishery in Tasmania, Australia. *Marine and Freshwater Research*. 52: 1271–1275.
 - Ibbott S, Gardner C & **Frusher** SD (2001). The effect of cooking on carapace length of Southern Rock Lobster, *Jasus edwardsii* (Hutton), 1875 (Decapoda, Palinuridae). *Crustaceana*. 74: 221–224.
 - **Frusher** SD, Prescott J & Edmunds M (1999). Southern rock lobsters. In: *Under southern seas – The ecology of Australia's rock reefs* (Ed. N Andrews). UNSW Press. Sydney Australia: 104–113.
 - **Frusher** SD, Kennedy RB & Gibson ID (1998). Preliminary estimates of exploitation rates in the Tasmanian rock lobster (*Jasus edwardsii*) fishery using the change-in-ratio and index-removal techniques with tag-recapture data. In: *Proceedings of the North Pacific Symposium on Invertebrate Stock Assessment and Management* (Ed. GS Jamieson & A Campbell). *Canadian Special Publication of Fisheries and Aquatic Sciences*. 125: 63–71.
 - **Frusher** SD, Kennedy RB & Gibson ID (1997). Precision of exploitation rate estimates in the Tasmanian rock lobster fishery using change-in-ratio techniques. *Marine and Freshwater Research*. 48: 1069–1074.
 - Punt AE, Kennedy RB & **Frusher** SD (1997). Estimating the size transition matrix for Tasmanian rock lobster. *Marine and Freshwater Research*. 48: 981–992.
 - Macmillan DL, Sandow SL, Wikeley DM & **Frusher** S (1997). Feeding activity and morphology of the digestive tract in stage 1 phyllosoma larvae of the rock lobster *Jasus edwardsii*. *Marine and Freshwater Research*. 48: 19–26.
 - Benzie JAH, **Frusher** SD, Kenway M & Trott L (1995). Utility of streamer tags to assess survival and growth of juvenile tiger prawns (*Penaeus monodon*) in aquaculture environments. *Aquaculture*. 136: 57–69.
 - Benzie JAH, Kenway M, Ballment E, **Frusher** SD & Trott L (1995). Interspecific hybridization of the tiger prawns *Penaeus monodon* and *Penaeus esculentus*. *Aquaculture*. 133: 103–111.
 - **Frusher** SD, Giddins RL & Smith TJ III (1994). Distribution and abundance of Grapsid crabs (GRAPSIDAE) in a mangrove estuary: effects of sediment characteristics, salinity tolerances and osmoregulatory ability. *Estuaries*. 17(3): 647–654.
 - Benzie JAH, Ballment E & **Frusher** SD (1993). Genetic structure of *Penaeus monodon* populations in Australia: concordant results from mtDNA and allozymes. *Aquaculture*. 111: 89–93.
 - Benzie JAH, **Frusher** SD & Ballment E (1992). Geographical variation in allozyme frequencies of *Penaeus monodon* (Crustacea: Decapoda) populations in Australia. *Australian Journal of Marine and Freshwater Research*. 43: 715–725.
 - **Frusher** SD, Giddins RL & Smith TJ III (1991). Distribution of mangrove sesamid crabs (Crustacea: Brachyura) in north-eastern Australia. *Memoirs of the Queensland Museum*. 31: 93.
 - Smith TJ III, Boto KG, **Frusher** SD & Giddins RL (1991). Keystone species and mangrove forest dynamics: the influence of burrowing by crabs on soil nutrient status and forest productivity. *Estuarine, Coastal and Shelf Science*. 33: 419–432.
 - **Frusher** SD (1986). Utilisation of small scale fish aggregation devices by Papua New Guinea's artisanal fishermen. In: *The First Asian Fisheries Forum* (Ed. JL Maclean LB Dizone & LV Hosillos). Asian Fisheries Society, Manila, Philippines: 371–374.
 - **Frusher** SD, Gwyther D & Lindholm RY (1985). Growth of the banana prawn *Penaeus merguensis*, De Man, as estimated from tagging studies in the Gulf of Papua. *Australian Journal of Marine and Freshwater Research*. 36(6): 793–796.
 - **Frusher** SD (1984). Tagging of *Penaeus merguensis* (De Man) in the Gulf of Papua, Papua New Guinea. In: *Second Australian National Prawn Seminar* (Ed. PC Rothlisberg, BJ Hill & DJ Staples), NPS2, Cleveland, Australia: 65–70.
 - **Frusher** SD (1983). The ecology of juvenile penaeid prawns, mangrove crab (*Scylla serrata*) and the giant freshwater prawn (*Macrobrachium rosenbergii*) in the Purari Delta. In: *The Purari-tropical environment of a high rainfall river basin* (Ed. T Petr). *Monographiae biologicae*. 51: 341–354.

Organisation: Conference and workshops

- Scientific Steering Committee: ICES Symposium on Understanding marine socio-ecological systems: including the human dimension in integrated ecosystem assessments, Copenhagen, Denmark, 2016.
- Scientific steering Committee: *Species on the Move*, Hobart, Australia, 2016.
- Co-convenor: International symposium: Climate variability and change on marine resources and fisheries in the South Pacific. Concepcion, Chile 2013.
- Co-convenor: International Workshop: Towards a South Pacific integrated ecosystems studies program (SPICES). Concepcion, Chile 2013.
- Co-convenor: Workshop 6: Climate change and range shifts in the ocean: detection, prediction and adaptation. Effects of the Climate Change on the World's Oceans. Yeosu, Korea 2012
- Co-convenor: *Global Marine Hotspots*. World Fisheries Congress. Edinburgh, Scotland 2012
- Convenor: Workshops: Preparing for climate change on marine systems in Australia and India. Hobart, Australia and Cochin, India. 2012
- Co-Convenor: Workshop 5: Networking across global marine 'hotspots'. Climate Change Effects on Fish and Fisheries: Forecasting Impacts, Assessing Ecosystem Responses, and Evaluating Management Strategies: Sendai, Japan 2010.
- Co-convenor: Workshops: Integrated simulation tools for the bio-economic assessment of renewable resource systems. Hobart, Australia 2008 and Brest, France 2009.
- Convenor: 6th International Conference and Workshop on Lobster Biology and Management, 2004, Hobart, Australia

Chairs, presentations and reviews**Invited chairs**

- Assessment of the local population. Life Histories, assessment and management of crustacean fisheries. A Coruna, Galicia, Spain. 8–12 October 2001.
- Environment and ecosystem interactions. 7th International Conference and Workshop on Lobster Biology and Management. Hobart, Tasmania, Australia. 8–13 February 2004.
- Primary Production. Indian Ocean Marine Environmental Conference: linking science,

engineering and management. Perth, Western Australia, Australia. 14–18 February 2005.

- Fisheries and by-catch. Australian Society for Fish Biology Conference. Hobart, Tasmania, Australia. 28 August – 1 September 2006.
- Climate change. 8th International Conference and Workshop on Lobster Biology and Management. Charlottetown, Prince Edward Island, Canada. 23–28 September 2007.
- Climate change. Seafood Directions 2007. Hobart, Tasmania. 31 October – 2 November 2007.

Invited presentations

- Marine Climate Change Research in Australia and the SPICES Initiative. XXXIII Congress of Marine Science Antofagasta, Chile, 27th – 30th May, 2013
- From physics to folk via fish – connecting the socio-ecological system to understand the ramifications of climate change on coastal rural communities. International symposium on Climate Variability and Change on Marine Resources and Fisheries in the South Pacific. Concepcion, Chile, 2013
- Networking across global marine hotspots. Coastal Zone Asia-Pacific Conference and World Small-Scale Fisheries Congress, Bangkok, 2010
- REDMAP – 5 minute speed play. ANZ Southern Exposure Conference, Hobart, 2010
- Marine information and communication technologies. Pathways to Engagement Forum. School of Computing and Information Systems. 10 December 2007.
- Tagging and tracking: Conventional tags – New tricks with 'old' technology. Australian Society for Fish Biology 2006 Workshop 'Cutting edge technologies in fish and fisheries science'. Hobart, Tasmania, Australia. 28 August – 1 September 2006.
- Roles of fisheries species in structuring benthic ecosystems: Drivers for ecosystem based fisheries management in Australia. National Symposium on Ecosystem Research and Management of Fisheries. Adelaide, South Australia, Australia. 19–20 September 2004.
- Roles of fisheries species in structuring benthic ecosystems: Multi-layered approaches to evaluating impacts of lobster fishing. National Symposium on Ecosystem Research and Management of Fisheries. Adelaide, South Australia, Australia. September 19-20th, 2004.
- Roles of fisheries species in structuring benthic ecosystems: Focused case study-abalone and

rock lobster on temperate reefs. The Tasmanian southern rock lobster fishery-ecosystem implications. National Symposium on Ecosystem Research and Management of Fisheries. Adelaide, South Australia, Australia. 19-20th September 2004.

- A scientific perspective: Ecosystem based fisheries management. Fisheries Co-Management Council- Victoria's Fisheries and Aquaculture Research and Development Strategy. Melbourne, Victoria, Australia. 19 April 2005.
- University of Concepcion, Chile – presented a postgraduate summer school session on tagging methodologies in fisheries science.

Invited reviews

- Review of Seikai National Fisheries Laboratory's lobster programme. Nagasaki, Japan. 1997.
- Review of Sultanate of Oman's lobster research programme. Muscat, Oman. 2003 and 2004.
- Review of Northern Territory mudcrab fishery assessment. Darwin, Australia. 2004.
- Review of Gulf of Mexico red grouper Assessment. Atlanta, USA. 2007.
- Review of WA Puerulus settlement project, 2010 & 2011
- Review of New England lobster fishery assessment, 2010

- Marine Stewardship Assessment for Western Australia Rock Lobster Fishery, 2010
- State of the Environment: Coasts, 2011
- Review of the Stock Assessments for Northwest USA butterfish, golden tilefish, and northern shrimp, 2014

Journal reviewer

- Canadian Journal of Fisheries and Aquatic Sciences
- Climate Change
- Fisheries Bulletin
- Fisheries Research
- Marine Biology
- Marine Ecology Progress Series
- Aquaculture
- Marine and Freshwater Research
- Continental Shelf Research
- ICES Journal of Marine Science
- New Zealand Journal of Marine and Freshwater Research.

Grants reviewer

- American Sea Grant Foundation, USA.
- Fisheries Research and Development Corporation, Australia.

External research funding

- Frusher, Penesis, Grierson (2018). Blue Economy Cooperative Research Centre. Department of Industry, Innovation and Science: CRC Programme \$70,000,000.
- Frusher, Haward, Richardson (2016) Indigenous business development opportunities and impediments in the fishing and seafood industry - 'Wave to plate' establishing a market for Tasmanian cultural fisheries. FRDC \$255,195.
- Frusher (2015) Developing cost-effective industry based techniques for monitoring puerulus settlement in all conditions: Phase 2. FRDC \$272,159
- Crawford, Frusher, Swadling (2014) Predicting marine currents, nutrients and plankton in the coastal waters of south eastern Tasmania in response to changing weather patterns..FRDC. \$339,527
- Pecl, Gardner, Frusher, Briceno Jacques (2014). Modelling predator/prey interaction under climate change: Implications for a target fishery in Tasmania. Holsworth Wildlife Research Endowment. \$7,000
- Hobday, Frusher, Pecl, Jennings, Green, (2012) Growth opportunities and critical elements in the value chain for wild fisheries and aquaculture in a changing climate. Dept of Climate Change, Energy & Efficiency and FRDC. \$291,999.
- Walsh, Pecl, **Frusher**, Stuart-Smith (2011). Redmap - Australian Research Data Capture (ARDC) & EIF project. Department of Innovation, Industry, Science, Research and Tertiary Education. \$102,000.
- Pecl, **Frusher**, Hartmann, Mundy, Tracey, Gardner, Jennings (2011). Preparing fisheries for climate change: identifying adaptation options for four key fisheries in south eastern Australia. Dept of Climate Change, Energy & Efficiency and FRDC. \$655,000.
- Semmens, **Frusher**, Stehfest (2011). The impact of fish aggregating devices (FADs) on the movement and behaviour of tropical tuna (*Thunnus obesus*, *Katsuwonus pelamis* and *Thunnus albacares*). Holsworth Wildlife Research Endowment. \$17,500
- Pecl, **Frusher**, Lyle, Edgar, Stuart-Smith, Walsh (2011). Extending the Success of Redmap with

- New Website Sections and Communication Materials. Tasmanian Community Fund. \$70,477.
- Semmens, **Frusher** (2010). Assessing the Effectiveness of Shark Nursery Area Closures for the Protection and Conservation of Coastal Shark Species. Winifred Violet Scott Trust. \$70,000
 - Semmens, Lyle, Barnett, Buxton, **Frusher** (2011). Continued monitoring of chondrichthyan species in coastal areas of SE Australia: Assessing the effectiveness of shark nursery area closures for the protection & conservation of coastal shark species. Save our Seas Foundation. \$30,000
 - Pecl, **Frusher**, Stuart-Smith, Walsh (2012). Increasing reporting capacity to detect shifting marine species and the development of a qualitative report card for resource managers. Tasmanian Climate Change Office. \$20,000
 - Pecl, Stuart-Smith, Walsh, **Frusher**, Bates (2012). Extending the Redmap pilot to South East Australia: using citizen science for engagement and early indication of potential new opportunities. Dept of Climate Change, Energy & Efficiency and FRDC. \$60,000.
 - **Frusher**, Holbrook, Haward, Jennings, Pecl, Hobday, Nursey-Bray (2011) Preparing for climate change on marine systems in Australia and India. Australia-India Strategic Research Fund. Department of Innovation, Industry, Science and Research. (\$69,911).
 - **Frusher**, Pecl, Wernberg, Smale, Tobin (2011) Understanding the global impacts and implications of range shifting species in marine systems. ANNiMS Springboard Program (\$299,928).
 - **Frusher** SD, (2011) Developing cost-effective industry based techniques for monitoring puerulus settlement in all conditions: trials in southern and western Tasmania. FRDC (\$119,711).
 - **Frusher** SD, Blake S, Burrows R, Caputi N, Dambacher J, Haward M, Hobday A, Holbrook N, Jennings S, Lyle J, Marshall N, Nursey-Bray M, Pecl G, Pryce L, Sutton S, Tobin R, Tull M, Van Putten I (2011) A climate change adaptation blueprint for coastal regional communities DCCCE-FRDC (\$721,000).
 - Harvey E, **Frusher** SD (2010) Maintain and Improve the Management and Use of Aquatic Natural Resources to Ensure their Sustainability FRDC (\$30,000).
 - Crawford C, Swadling KM, MacLeod C, **Frusher** SD (2010) Nutrient and Phytoplankton Data from Storm Bay to Support Sustainable Resource Planning FRDC (\$44,143).
 - Pecl GT, **Frusher** SD, Lyle J, Edgar G, Stuart-Smith R (2009). Coastal Climate Change Range Expansion and Database Mapping Project (CCC REDMAP), Tasmanian Community Fund (\$79,499).
 - Pecl GT, Jennings SM, Frusher SD, Haward MG, Nursey-Bray MJ, Gardner C, Reville H, Mr S Yamazaki (2009) Developing Analytical Skills and Tools for Incorporating Multidisciplinary Approaches into Marine and Climate Change Research - An Example of Capacity Building at the Disciplinary Boundaries, University of Tasmania Grant-Cross Theme (\$19,900)
 - Holbrook N, **Frusher** SD, Hobday A, Nursey-Bray M, Hughes T, Sandford R, Smith, T, Grafton C, Kompas T, Marshall P (2008). National Adaptation Research Network – Marine Biodiversity and Resources, Department of Climate Change (\$1,600,000).
 - **Frusher** SD, Pecl G, Hobday A, Gardner C, Jennings S, Nursey-Bray M, Haward M, van Putten I, Punt, A (2008). East Coast Rock Lobster Fishery Case Study to support a 'First Pass' National Climate Change Coastal Vulnerability Assessment (NCVA), Department of Climate Change (\$199,616).
 - **Frusher** SD, Johnson, CR, Jarman, SN (2008). Utilization quantitative molecular prey detection techniques to better understand ecosystem resilience and the role of rock lobsters in shaping benthic community structure. Holsworth Wildlife Research Fund (\$5,000).
 - **Frusher** SD, Little R (2008). Integrated simulation tools for the bio-economic assessment of renewable resource systems – workshop. Department of Innovation, Industry, Science and Research – France-Australia Science and Technology International Science Linkage (\$19,360).
 - Awruch CA, Jones S, Stevens JD, **Frusher** SD (2008). Developing non-destructive sampling methods for the conservation and management of chondrichthyan (sharks, rays, skates and chimeras). Winifred Violet Scott Foundation (\$40,639).
 - Jennings S, Pascoe S, McWhinnie S, Bose S, **Frusher** SD, Grace P (2008). Building Economic Capability to Improve the Management of Marine Resources in Australia. FRDC (\$950,000).
 - Johnson CR, Gardner C, **Frusher** SD, Pederson HG, Haddon M, Semmens JM (2008). Rebuilding Ecosystem Resilience: Assessment of Management Options to Minimise Formation of

- 'Barrens' Habitat by the Long-Spined Sea Urchin (*Centrostephanus rodgersii*) in Tasmania. Natural Heritage Trust – NRM (\$20,000).
- **Frusher** SD, Johnson CR, Jarman SN (2007). Using DNA to explore lobster diet and the impacts of lobster fishing on southern temperate reefs. Holsworth Wildlife Research Fund (\$4,850).
 - Buxton CB, **Frusher** SD, Smith AD, Gales R (2007). Ecosystem model analysis to address fisheries management issues in south eastern Australia and the implications of climate change. CERF Research Fellowship (\$155,200).
 - Johnson CR, Gardner C, **Frusher** SD, Pederson HG, Haddon M (2007). Rebuilding ecosystem resilience: assessment of management options to minimise formation of 'barrens' habitat by the long-spined sea urchin (*Centrostephanus rodgersii*) in Tasmania. Fisheries Research and Development Corporation (\$350,000).
 - Ovenden J, Russell R, Paterson B, Brown I, Montgomery S, **Frusher** SD (2007). Development of a DNA based aging technique for use in fisheries assessments. Fisheries Research and Development Corporation (\$427,635).
 - Semmens JM, **Frusher** SD, Stevens J, Barnett A (2007). The role of higher tropic level predators on inshore ecosystems and their interactions with fisheries: a case study examining reproduction in sevengill sharks (*Notorynchus cepedianus*). Winifred Violet Scott Charitable Trust (\$55,000).
 - Semmens JM, **Frusher** SD, Stevens J, Barnett A (2007). The role of higher tropic level predators on inshore ecosystems and their interactions with fisheries: a case study examining reproduction in sevengill sharks (*Notorynchus cepedianus*). Save our Seas Foundation (\$86,943).
 - Semmens JM, **Frusher** SD, Stevens J, Barnett A (2007). The role of higher tropic level predators on inshore ecosystems and their interactions with fisheries: a case study examining reproduction in sevengill sharks (*Notorynchus cepedianus*). Holsworth Wildlife Research Fund (\$5,000).
 - **Frusher** SD, Buxton C, Semmens J, Barrett N, Tarbath D (2004). Towards integrated multi-species management of Australia's SE reef fisheries: a Tasmanian example. Fisheries Research and Development Corporation (\$589,000).
 - **Frusher** SD, Wotherspoon S, Hoenig JM (2003). Developing tagging models and validating assumptions for estimating key fishery assessment parameters in rock lobster fisheries. Fisheries Research and Development Corporation (\$419,000).
 - **Frusher** SD (2003). Acoustic tagging of draughtboard sharks. University of Tasmania Institutional Research Grants Scheme (\$15,000).
 - **Frusher** SD, Gardner C, Hobday D, Linanne A, Melville-Smith R, Phillips B (2003). Seventh International Conference and Workshop on Lobster Biology and Management. Fisheries Research and Development Corporation (\$20,000).
 - **Frusher** SD (2002) Low light and infra-red underwater camera. Ian Potter Foundation (\$40,000).
 - Wood L, **Frusher** SD, Trelloggen R (2001). Uptake and impact of electronic commerce in the Tasmanian rock lobster fishery. Australian Research Council (\$78,000).
 - Semmens J, Gardner C, **Frusher** SD, Jackson G (2001) Life history and ecology of *Octopus maorum* and minimisation of its impact on the rock lobster fishery in Tasmania. Australian Research Council (\$273,000).
 - Hobday D, **Frusher** SD, Prescott J, Gardner C (2002). Can production in the southern rock lobster fishery be higher? Juvenile growth, survival and the influence of density. Fisheries Research and Development Corporation (\$434,000).
 - **Frusher** SD (1999). Impact of management change to an ITQ system in the Tasmanian rock lobster fishery. Fisheries Research and Development Corporation (\$267,000).
 - **Frusher** SD (1997) Assessment of broadscale exploitation rates and biomass estimates for the Tasmanian southern rock lobster fishery. Fisheries Research and Development Corporation. (\$468,000).

Student supervision

- Liam Fulbrook (current)
 - Kelly Richardson (current)
 - Cesar Penaherrera, PhD (2016)
 - Javier Porobic, PhD (2019)
 - Claudio Castilla-Jordan, PhD (2018)
 - Sophie Gourget, PhD (2014)
 - Camilla Novaglio, PhD (2016)
 - Felipe Briceño Jacques, PhD (2016)
 - Ziya Kordjazi, PhD (2016)
 - Michael Litzow, PhD (2015)
 - Kevin Redd, PhD (2018)
 - Mark Knights, PhD (withdrawn)
 - Martin Marzloff, PhD (2012)
 - Paul Burch, PhD (2011)
 - Katell Hamon, PhD (2011)
 - Adam Barnett, PhD (2011)
 - Neil Stump, MSc (2010)
 - Scott Ling, PhD (2009)
 - Tracy Hay, MSc (2009)
 - Cynthia Andrea Awruch, PhD (2007)
 - Tom Ihde, PhD (2007)
 - Tristan Jane Richards, PhD (2005)
 - Philippe Eric Ziegler, PhD (2002)
- 